



SABAU STRAPPING is a company with experience in the manufacture of strapping, packaging materials and machinery since 1978. We have a multitude of solutions to offer you a product with maximum responsibility, adaptable to any economic sector.

45 years of experience in the packaging sector.
Committed to the environment with completely
clean and ecological products.

The raw materials, the production process, quality
control, and, above all, a permanent analysis of
the environment guarantee a commitment to
corporate social responsibility.

Phone: +34 974 141 010
E-mail: sabau@sabau.es



SABAU
RECYCLING





STRAP PP PREMIUM HQ.

All our PP PREMIUM HQ strapping. They can be colored in the necessary shade as they come from virgin and transparent natural pellets from our REPSOL and BOREALIS petrochemical companies. In accordance with European quality standards, our factory does not work with recovered materials and all our products can be applied without distinction to all types of automatic and manual uses.

Number	Measure (mm.)	KG. Force	Recommended uses	Meters/Coil Choose From-to	Coils per pallet D200	Coils per pallet D406
91	5x0,42	70	 	5000 - 8000	90	56
92	5x0,47	80	 	5000 - 7500	90	56
93	6x0,65	90	 	4000 - 6000	90	56
112	8x0,58	110	  	3000 - 5000	90	56
94	8x0,65	120	  	3000 - 4500	90	56
116	9x0,58	130	  	2500 - 4500	90	56
117	9x0,65	140	  	2500 - 4000	90	56
259	9x0,73	150	  	2500 - 4000	90	56
95	12x0,58	170	  	1500 - 3500	90	56
96	12x0,65	180	  	1500 - 3000	90	56
97	12x0,73	230	  	1500 - 2500	90	56
98	12x0,82	250	  	1000 - 2500	90	56
99	12x0,93	290	  	1000 - 2000	90	56
260	13x0,82	260	  	1000 - 2000	90	56
134	14x0,58	220	  	1000 - 2000	90	56
111	14x0,93	350	  	1000 - 2000	90	56
119	16x0,65	260	  	1000 - 2000	90	56
130	16x0,73	280	  	1000 - 2000	90	56
131	16x0,82	300	  	900 - 2000	90	56
299	16x0,93	350	  	900 - 1500	90	56
132	19x0,82	400	  	800 - 1500	90	56
250	19x0,93	550	  	700 - 1400	90	56

-  Manual use with linker
-  Semi-automatic use with welding
-  Automatic use with welding

Minimum tolerance on all mentioned specifications: +/-5%

Printable strapping on demand

Packaging with box: +5%

Other colors, quantities, measurements, footage and/or Ø cardboard cylinders: CONSULT

Phone: +34 974 141 010
E-mail: sabau@sabau.es





PET PREMIUM HQ STRAPPING

Number	Measure (mm.)	KG. Force	Recommended uses	Metros/Coil Choose From-To	Coils per pallet D200	Coils per pallet D406
966	8x0,65	170	■ ■ ■	4000 - 4500	90	56
139	9x0,58	200	■ ■ ■	3000 - 4000	90	56
104	9x0,65	210	■ ■ ■	2500 - 4000	90	56
195	10x0,65	250	■ ■ ■	2500 - 4000	90	56
101	11x0,58	220	■ ■ ■	2000 - 4500	90	56
138	12x0,58	240	■ ■ ■	2000 - 3500	90	56
21	12x0,65	270	■ ■ ■	2000 - 3000	90	56
22	12x0,73	310	■ ■ ■	1500 - 2500	90	56
118	12x0,82	330	■ ■ ■	1500 - 2500	90	56
137	13x0,58	250	■ ■ ■	1800 - 2800	90	56
103	13x0,65	290	■ ■ ■	1800 - 2800	90	56
967	13x0,87	380	■ ■ ■	1500 - 2000	90	56
954	16x0,65	400	■ ■ ■	1500 - 2000	90	56
955	16x0,73	450	■ ■ ■	1300 - 2000	90	56
925	16x0,82	500	■ ■ ■	1200 - 1600	90	56
964	16x0,93	550	■ ■ ■	1100 - 1500	90	56
956	16x1,02	650	■ ■ ■	1000 - 1400	90	56
964	19x0,73	600	■ ■ ■	1000 - 1400	90	56
957	19x0,82	700	■ ■ ■	1000 - 1400	90	56
958	19x0,93	750	■ ■ ■	800 - 1000	90	56
959	19x1,02	800	■ ■ ■	800 - 1000	90	56
956	19x1,27	1000	■ ■ ■	600 - 900	90	56
965	25x0,82	900	■ ■ ■	600 - 900	90	56
960	25x1,02	1050	■ ■ ■	600 - 800	90	56
961	25x1,27	1400	■ ■ ■	500 - 600	90	56
956	32x0,82	1200	■ ■ ■	500 - 700	90	56
962	32x1,02	1450	■ ■ ■	500 - 600	90	56
963	32x1,27	1700	■ ■ ■	400 - 500	90	56

■ Manual use with linker

■ Semi-automatic use with welding

■ Automatic use with welding

Minimum tolerance on all mentioned specifications: +/-5%

Printable strapping on demand

Packaging with box: +5%

Manufacturing JUMBO coils on demand

Other colors, quantities, measurements, footage and/or Ø cardboard cylinders: CONSULT

Phone: +34 974 141 010
E-mail: sabau@sabau.es



TEXTILE STRAPPING

HOTMELT-PET HD WHITE

Number	Measure (mm.)	KG. Force	Recommended uses	Meters/Coil	Coils per pallet D76
18	9	300	■	250	384
74	9	300	■	500	288
19	13	400	■	250	384
75	13	400	■	500	288
76	13	400	■	1100	108
156	16	500	■	850	108
78	19	600	■	600	108
79	25	1050	■	400	108
161	32	1600	■	150	120
80	35	2000	■	100	120

FABRIC-PET HD WHITE

Number	Measure (mm.)	KG. Force	Recommended uses	Meters/Coil	Coils per pallet D76
164	13	400	■	1100	60
165	16	500	■	850	80
166	16	650	■	850	60
167	19	550	■	600	80
168	25	1050	■	500	60
169	32	2250	■	250	60

- Baling
- Manual use with linker
- Semi-automatic use with welding
- Automatic use with welding

Printable straps on demand

Minimum tolerance in all the mentioned specifications: +/-5%.

Other colors, quantities, measures, footage and/or cardboard Ø cylinders: CONSULT

LINKERS AND PROTECTORS



METAL JOINTS

Number	Width	Thick	Long	Finish	Material	Quality	Use	Packaging
186	12 mm.	0,5 mm.	25 mm.	SMOOTH	GALVANISED STEEL	THERMAL AND ZINC PLATED	PP	1 pallet x 149 boxes x 2000 units/box
29	13 mm.	0,5 mm.	28 mm.	ENGRAVING	HARDENED STEEL	THERMAL	PP	1 pallet x 80 boxes x 3000 units/box
182	13 mm.	0,5 mm.	28 mm.	ENGRAVING	GALVANISED STEEL	THERMAL AND ZINC PLATED	PP	1 pallet x 80 boxes x 3000 units/box
187	13 mm.	0,6 mm.	32 mm.	SMOOTH	GALVANISED STEEL	THERMAL AND ZINC PLATED	PP	1 pallet x 96 boxes x 2000 units/box
184	13 mm.	0,8 mm.	30 mm.	ENGRAVING REFORCED	GALVANISED STEEL	THERMAL AND ZINC PLATED	PET	1 pallet x 132 boxes x 1000 units/box
254	16 mm.	0,6 mm.	25 mm.	SMOOTH	HARDENED STEEL	THERMAL	STEEL	1 pallet x 198 boxes x 1000 units/box
30	16 mm.	0,5 mm.	28 mm.	ENGRAVING	HARDENED STEEL	THERMAL	PP	1 pallet x 80 boxes x 2500 units/box
183	16 mm.	0,5 mm.	28 mm.	ENGRAVING	GALVANISED STEEL	THERMAL AND ZINC PLATED	PP	1 pallet x 80 boxes x 2500 units/box
185	16 mm.	0,8 mm.	30 mm.	ENGRAVING REFORCED	GALVANISED STEEL	THERMAL AND ZINC PLATED	PET	1 pallet x 132 boxes x 1000 units/box
255	16 mm.	0,6 mm.	22 mm.	SMOOTH	HARDENED STEEL	THERMAL	STEEL	1 pallet x 176 boxes x 1000 units/box
253	19 mm.	0,5 mm.	28 mm.	ENGRAVING	HARDENED STEEL	THERMAL	PP	1 pallet x 80 boxes x 2000 units/box
256	19 mm.	0,7 mm.	25 mm.	SMOOTH	HARDENED STEEL	THERMAL	STEEL	1 pallet x 140 boxes x 1000 units/box
257	19 mm.	0,9 mm.	45 mm.	SMOOTH	GALVANISED STEEL	THERMAL AND ZINC PLATED	STEEL	1 pallet x 60 boxes x 1000 units/box
258	32 mm.	0,9 mm.	45 mm.	SMOOTH	HARDENED STEEL	THERMAL	STEEL	1 pallet x 112 boxes x 300 units/box
261	32 mm.	0,9 mm.	55 mm.	SMOOTH	HARDENED STEEL	THERMAL	STEEL	1 pallet x 96 boxes x 250 units/box

LINKERS AND PROTECTORS



METAL BUCKLES

Number	Width	Caliber	Long	Material	Treatment	Use	Packaging
31	13 mm.	2,5 mm.	28 mm.	GALVANISED STEEL	TEMPERED AND ZINC PLATED	PP/PET and Textile	1 pallet x 176 boxes x 1000 units/box
170	13 mm.	2,5 mm.	28 mm.	PHOSPHATED STEEL	TEMPERED	PP/PET and Textile	1 pallet x 176 boxes x 1000 units/box
32	13 mm.	3,0 mm.	28 mm.	GALVANISED STEEL	TEMPERED AND ZINC PLATED	PP/PET and Textile	1 pallet x 132 boxes x 1000 units/box
171	13 mm.	3.0 mm.	28 mm.	PHOSPHATED STEEL	TEMPERED	PP/PET and Textile	1 pallet x 132 boxes x 1000 units/box
172	16 mm.	3.0 mm.	32 mm.	GALVANISED STEEL	TEMPERED AND ZINC PLATED	PP/PET and Textile	1 pallet x 110 boxes x 1000 units/box
173	16 mm.	3.0 mm.	32 mm.	PHOSPHATED STEEL	TEMPERED	PP/PET and Textile	1 pallet x 110 boxes x 1000 units/box
33	16 mm.	3.2 mm.	32 mm.	GALVANISED STEEL	TEMPERED AND ZINC PLATED	PP/PET and Textile	1 pallet x 96 boxes x 1000 units/box
174	16 mm.	3.2 mm.	32 mm.	PHOSPHATED STEEL	TEMPERED	PP/PET and Textile	1 pallet x 96 boxes x 1000 units/box
175	19 mm.	3.4 mm.	37 mm.	GALVANISED STEEL	TEMPERED AND ZINC PLATED	PP/PET and Textile	1 pallet x 80 boxes x 1000 units/box
176	19 mm.	3.4 mm.	37 mm.	PHOSPHATED STEEL	TEMPERED	PP/PET and Textile	1 pallet x 80 boxes x 1000 units/box
177	19 mm.	3.8 mm.	37 mm.	GALVANISED STEEL	TEMPERED AND ZINC PLATED	PP/PET and Textile	1 pallet x 60 boxes x 500 units/box
178	19 mm.	3.8 mm.	37 mm.	PHOSPHATED STEEL	TEMPERED	PP/PET and Textile	1 pallet x 60 boxes x 500 units/box
34	25 mm.	4.8 mm.	48 mm.	GALVANISED STEEL	TEMPERED AND ZINC PLATED	PP/PET and Textile	1 pallet x 60 boxes x 500 units/box
179	25 mm.	4.8 mm.	48 mm.	PHOSPHATED STEEL	TEMPERED	PP/PET and Textile	1 pallet x 60 boxes x 500 units/box
35	32 mm.	7.0 mm.	62 mm.	GALVANISED STEEL	TEMPERED AND ZINC PLATED	PP/PET and Textile	1 pallet x 51 boxes x 250 units/box
180	32 mm.	7.0 mm.	62 mm.	PHOSPHATED STEEL	TEMPERED	PP/PET and Textile	1 pallet x 51 boxes x 250 units/box

LINKERS / PROTECTORS / DISPENSERS



PLASTIC BUCKLES

Number	Width	Long	Material	Packaging
191	13 mm.	65 mm.	PP	1 pallet x 150 boxes x 1000 units/box
192	16 mm.	65 mm.	PP	1 pallet x 150 boxes x 1000 units/box



PLASTIC CORNERS

Number	Width	Long	Material	Packaging
28	32 mm.	32 mm.	PP	1 pallet x 150 bags x 1000 units/bag

DISPENSERS

Number	Description	Packaging	Units	
38	Unwinding trolley for straps D406mm	1 palet x 10 units	Unit	

STRAPPING TOOLS AND SPARE PARTS



Other models: CONSULT

Phone: +34 974 141 010
 E-mail: sabau@sabau.es





+34 974 141 010
sabau@sabau.es
<https://sabau.es>



SABAU
RECYCLING

